

Practitioner Dietary Supplement Reference Guide – 3rd Edition

dotFIT Worldwide's Position on Use of Supplements for Enhancing Performance

Sports at all levels have become fiercely competitive, primarily because the rewards for winning continue to expand into previously unimaginable economic territories. Giving athletes the necessary “edge” to compete now requires sophisticated evolving nutrition and exercise protocols, including the proper integration of individualized dietary supplements. Additionally, because of improved methods and frequency of drug testing, athletes are seeking healthy legal alternatives to help enhance performance. Maximizing potential during high-level competition involves athletes and qualified trainers leveraging all available resources. In fact, surveys from the 2008 Olympics showed at least 90% of the 11,000 athletes reported regularly using dietary supplements.¹ Other polls of competitive athletes of all ages show the same numbers.^{2,3,4,5} Additionally, approximately 85% of health club participants regularly use dietary supplements to enhance health or exercise outcomes.⁶

There is now strong scientific and empirical evidence that a limited number of natural/bio substances, prepared in formulations matched from positive clinical trials and ingested properly within a training and nutrition plan, can safely improve recovery,^{7,8,9,10,11,12} muscle protein synthesis,^{11,12,13,14,15,16,17,18,19,20} time to exhaustion^{21,22,23,24,25,26,27,28} and training-induced size or performance for many athletes.^{9,29,30,31,32,33,34}

Performance Dietary Supplement Rationale

Competitive athletes and exercisers constantly seek physical improvement in order to remain competitive in their respective sport by attempting to make continuous strength and performance gains, or simply enhance exercise sessions over time as with avid exercisers.

Exercise stimulates natural human skeletal muscle synthesis and performance throughout life when compared to a non-exercise state.^{35,36} Various forms of mechanical loading (exercise design) initiate muscle protein’s related anabolic signaling and the mode, intensity and volume of exercise differentially affect signaling, thus long-term outcomes.^{37,38,39} The general goal of most athletes is to maximize the body's natural muscle protein synthesis (MPS) processes, which include applying peak strength during exercise and recovering adequately from each training bout to constantly increase performance and if desired, increase skeletal muscle size. Thus, the athletes/exerciser’s goal is to continue to improve physically by making each training session build on the previous, leading to continuous athletic/physical progress since unaccustomed exercise continues to set the stage (initiates anabolism) for the desired muscle remodeling that would potentially improve performance/size.^{15,40,41} However, despite the constant initiation of MPS by exercise, positive training progress slows dramatically with age and experience, and training plateaus become common occurrences^{41,42,43,44} leading researchers and athletes to believe that something is missing (nutritionally) in the pre or post-exercise period that would otherwise continue progression from proper unaccustomed training (at least until there is an unavoidable age decline*). In other words, exercise is only a continual trigger event for the desired result leaving nutritional/bio-ingredient modulations to deliver the progressive outcome.^{36,43,45} These conditions set the stage for dietary supplementation when all else is equal and training and diet protocols are optimized for the desired progression.

*Eventually as in all aspects of life, age will become a factor in abating progress but depending on age and level of training experience, this inevitable decline can be prolonged to a point where one has the greatest potential to not just extend their athletic success or "playing lifespan" but also remain self-sufficient throughout life.^{42,44,46}

Practitioner Dietary Supplement Reference Guide – 3rd Edition

References

- ¹ Starling, Shane. "Dietary supplements win Olympic gold." 2008. NutraingredientsUSA. 15 Sep. 2008 < <http://www.nutraingredients-usa.com/Industry/Dietary-supplements-win-Olympic-gold> >.
- ² Hoyte CO, Albert D, Heard KJ. The Use of Energy Drinks, Dietary Supplements, and Prescription Medications by United States College Students to Enhance Athletic Performance. *J Community Health*. 2013 Feb 1. [Epub ahead of print]
- ³ Diehl K, Thiel A, Zipfel S, Mayer J, Schnell A, Schneider S. Int J Sport Nutr Exerc Metab. Elite Adolescent Athletes and Use of Dietary Supplements: Characteristics, Opinions, and Sources of Supply and Information. 2012 Jun 15. [Epub ahead of print]
- ⁴ Kristiansen M¹, Levy-Milne R, Barr S, Flint A. Dietary supplement use by varsity athletes at a Canadian university. *Int J Sport Nutr Exerc Metab*. 2005 Apr;15(2):195-210
- ⁵ Froiland K¹, Koszewski W, Hingst J, Kopecky L. Nutritional supplement use among college athletes and their sources of information. *Int J Sport Nutr Exerc Metab*. 2004 Feb;14(1):104-20
- ⁶ Morrison LJ, Gizis F, Shorter B. Prevalent use of dietary supplements among people who exercise at a commercial gym. *Int J Sport Nutr Exerc Metab*. 2004 Aug;14(4):481-92.
- ⁷ Kerksick C, Harvey T, Stout J, Campbell B, Wilborn C, Kreider R, Kalman D, Ziegenfuss T, Lopez H, Landis J, Ivy JL, Antonio J. International Society of Sports Nutrition position stand: nutrient timing. *J Int Soc Sports Nutr*. 2008 Oct 3;5:17. Erratum in: *J Int Soc Sports Nutr*. 2008;5:18
- ⁸ Cermak NM, Res PT, de Groot LC, Saris WH, van Loon LJ. Protein supplementation augments the adaptive response of skeletal muscle to resistance-type exercise training: a meta-analysis. *Am J Clin Nutr*. 2012 Dec;96(6):1454-64. doi: 10.3945/ajcn.112.037556. Epub 2012 Nov 7.
- ⁹ Matthew Stark, Judith Lukaszuk, Aimee Prawitz, and Amanda Salacinski. Protein timing and its effects on muscular hypertrophy and strength in individuals engaged in weight-training. *J Int Soc Sports Nutr*. 2012; 9: 54. Published online 2012 December 14. doi: 10.1186/1550-2783-9-54
- ¹⁰ Leigh Breen^{1,5}, Andrew Philp², Oliver C. Witard^{1,4}, Sarah R. Jackman¹, Anna Selby³, Ken Smith³, Keith Baar² and Kevin D. Tipton. The influence of carbohydrate–protein co-ingestion following endurance exercise on myofibrillar and mitochondrial protein synthesis. *J Physiol* 589.16 (2011) pp 4011–4025 4011
- ¹¹ Rowlands DS , Nelson AR, Phillips SM, Faulkner JA, Clarke J, Burd NA, Moore D, Stellingwerff T. Protein-leucine fed dose effects on muscle protein synthesis after endurance exercise. *Med Sci Sports Exerc*. 2015 Mar;47(3):547-55. doi: 10.1249/MSS.0000000000000447
- ¹² Robinson MM , Soop M, Sohn TS, Morse DM, Schimke JM, Klaus KA, Nair KS. High insulin combined with essential amino acids stimulates skeletal muscle mitochondrial protein synthesis while decreasing insulin sensitivity in healthy humans. *J Clin Endocrinol Metab*. 2014 Dec;99(12):E2574-83. doi: 10.1210/jc.2014-2736
- ¹³ Witard OC¹, Cocke TL, Ferrando AA, Wolfe RR, Tipton KD. Increased net muscle protein balance in response to simultaneous and separate ingestion of carbohydrate and essential amino acids following resistance exercise. *Appl Physiol Nutr Metab*. 2014 Mar;39(3):329-39. doi: 10.1139/apnm-2013-0264. Epub 2013 Sep 27
- ¹⁴ Churchward-Venne TA, Breen L, Di Donato DM, Hector AJ, Mitchell CJ, Moore DR, Stellingwerff T, Breuille D, Offord EA, Baker SK, Phillips SM. Leucine supplementation of a low-protein mixed macronutrient beverage enhances myofibrillar protein synthesis in young men: a double-blind, randomized trial. *Am J Clin Nutr*. 2014 Feb;99(2):276-86. doi:0.3945/ajcn.113.068775. Epub 2013 Nov 27
- ¹⁵ Stefan M. Pasiakos Exercise and Amino Acid Anabolic Cell Signaling and the Regulation of Skeletal Muscle Mass. *Nutrients*. 2012 July; 4(7): 740–758. Published online 2012 July 10. doi: 10.3390/nu4070740 PMID: PMC3407992
- ¹⁶ Robert H Coker, Sharon Miller, Scott Schutzler, Nicolaas Deutz, and Robert R Wolfe. Whey protein and essential amino acids promote the reduction of adipose tissue and increased muscle protein synthesis during caloric restriction-induced weight loss in elderly, obese individuals. *Nutr J*. 2012; 11: 105. Published online 2012 December 11. doi: 10.1186/1475-2891-11-105 PMID: PMC3546025
- ¹⁷ West DW¹, Burd NA, Coffey VG, Baker SK, Burke LM, Hawley JA, Moore DR, Stellingwerff T, Phillips SM. Rapid aminoacidemia enhances myofibrillar protein synthesis and anabolic intramuscular signaling responses after resistance exercise. *Am J Clin Nutr*. 2011 Sep;94(3):795-803. doi: 10.3945/ajcn.111.013722. Epub 2011 Jul 27

Practitioner Dietary Supplement Reference Guide – 3rd Edition

- ¹⁸ Witard OC¹, Jackman SR, Breen L, Smith K, Selby A, Tipton KD. Myofibrillar muscle protein synthesis rates subsequent to a meal in response to increasing doses of whey protein at rest and after resistance exercise. *Am J Clin Nutr.* 2014 Jan;99(1):86–95. doi: 10.3945/ajcn.112.055517. Epub 2013 Nov 20
- ¹⁹ Daniel WD West, Nicholas A Burd, Vernon G Coffey, Steven K Baker, Louise M Burke, John A Hawley, Daniel R Moore, Trent Stellingwerff, and Stuart M Phillips. Rapid aminoacidemia enhances myofibrillar protein synthesis and anabolic intramuscular signaling responses after resistance exercise. *Am J Clin Nutr* 2011;94:795–803
- ²⁰ Carlin MB , Tanner RE , Agergaard J , Jalili T , McClain DA , Drummond MJ. Skeletal muscle Ras-related GTP binding B mRNA and protein expression is increased after essential amino acid ingestion in healthy humans. *J Nutr.* 2014 Sep;144(9):1409-14. doi: 10.3945/jn.114.196691. Epub 2014 Jul 23
- ²¹ Vandebogarde TJ¹, Hopkins WG. Effects of acute carbohydrate supplementation on endurance performance: a meta-analysis. *Sports Med.* 2011 Sep 1;41(9):773-92. doi: 10.2165/11590520-000000000-00000
- ²² Doherty M, Smith PM. Effects of caffeine ingestion on rating of perceived exertion during and after exercise: a meta-analysis. *Scand J Med Sci Sports.* 2005 Apr;15(2):69-78. Review.
- ²³ Astorino TA, Roberson DW. Efficacy of acute caffeine ingestion for short-term high-intensity exercise performance: a systematic review. *J Strength Cond Res.* 2010 Jan;24(1):257-65. Review
- ²⁴ Goldstein ER, Ziegenfuss T, Kalman D, Kreider R, Campbell B, Wilborn C, Taylor L, Willoughby D, Stout J, Graves BS, Wildman R, Ivy JL, Spano M, Smith AE, Antonio J. International society of sports nutrition position stand: caffeine and performance. *J Int Soc Sports Nutr.* 2010 Jan 27;7(1):5.
- ²⁵ Ganio MS, Klau JF, Casa DJ, Armstrong LE, Maresh CM. Effect of caffeine on sport-specific endurance performance: a systematic review. *J Strength Cond Res.* 2009 Jan;23(1):315-24. Review.
- ²⁶ Vitor de Salles Painelli • Bryan Saunders • Craig Sale • Roger Charles Harris • Marina Ya'zigi Solis • Hamilton Roschel • Bruno Gualano • Guilherme Giannini Artioli • Antonio Herbert Lancha Jr. Influence of training status on high-intensity intermittent performance in response to β-alanine supplementation. *Amino Acids* (2014) 46:1207–1215 DOI 10.1007/s00726-014-1678-2
- ²⁷ R. M. Hobson, B. Saunders, G. Ball, R. C. Harris, and C. Sale. Effects of β-alanine supplementation on exercise performance: a meta-analysis. . *Amino Acids.* 2012 July; 43(1): 25–37. Published online 2012 January 24. doi: 10.1007/s00726-011-1200-z PMCID: PMC3374095
- ²⁸ Eric T. Trexler, Abbie E. Smith-Ryan, Jeffrey R. Stout, Jay R. Hoffman, Colin D. Wilborn, Craig Sale, Richard B. Kreider, et al. International society of sports nutrition position stand: Beta-Alanine. Trexler et al. *Journal of the International Society of Sports Nutrition* (2015) 12:30 DOI 10.1186/s12970-015-0090-y
- ²⁹ Robert Cooper, Fernando Naclerio, Judith Allgrove, and Alfonso Jimenez . Creatine supplementation with specific view to exercise/sports performance: an update. *J Int Soc Sports Nutr.* 2012; 9: 33. Published online 2012 July 20. doi: 10.1186/1550-2783-9-33 PMCID: PMC3407788
- ³⁰ Buford TW, Kreider RB, Stout JR, Greenwood M, Campbell B, Spano M, Ziegenfuss T, Lopez H, Landis J, Antonio J. International Society of Sports Nutrition position stand: creatine supplementation and exercise. *J Int Soc Sports Nutr.* 2007 Aug 30;4:6
- ³¹ Chrusch MJ, Chilibeck PD, Chad KE, Davison KS, Burke DG. Creatine supplementation combined with resistance training in older men. *Med Sci Sports Exerc.* 2001 Dec;33(12):2111-7.
- ³² Kreider RB. Effects of creatine supplementation on performance and training adaptations. *Mol Cell Biochem.* 2003;244:89–94. doi:10.1023/A:1022465203458
- ³³ Cribb PJ, Williams AD, Hayes A. A creatine-protein-carbohydrate supplement enhances responses to resistance training. *Med Sci Sports Exerc.* 2007;39:1960–1968. doi: 10.1249/mss.0b013e31814fb52a
- ³⁴ Lanham C, Pereira B, Naughton G, Trousselard M, Lesage FX, Dutheil F. Creatine Supplementation and Lower Limb Strength Performance: A Systematic Review and Meta-Analyses. *Sports Med.* 2015 Sep;45(9):1285-94. doi: 10.1007/s40279-015-0337-4
- ³⁵ Phillips SM, Tipton KD, Aarsland A, et al. Mixed muscle protein synthesis and breakdown after resistance exercise in humans. *Am J Physiol.* 1997;273:E99–107
- ³⁶ Stuart M. Phillips. A Brief Review of Critical Processes in Exercise-Induced Muscular Hypertrophy. *Sports Med* (2014) 44 (Suppl 1):S71–S77. DOI 10.1007/s40279-014-0152-3
- ³⁷ Burd, N.A.; Mitchell, C.J.; Churchward-Venne, T.A.; Phillips, S.M. Bigger weights may not beget bigger muscles: Evidence from acute muscle protein synthetic responses after resistance exercise. *Appl. Physiol. Nutr. Metab.* 2012, 37, 551–554
- ³⁸ Mitchell, C.J.; Churchward-Venne, T.A.; West, D.D.; Burd, N.A.; Breen, L.; Baker, S.K.; Phillips, S.M. Resistance exercise load does not determine training-mediated hypertrophic gains in young men. *J. Appl. Physiol.* 2012, doi:10.1152/japplphysiol.00307.2012

Practitioner Dietary Supplement Reference Guide – 3rd Edition

- ³⁹ Burd, N.A.; Holwerda, A.M.; Selby, K.C.; West, D.W.; Staples, A.W.; Cain, N.E.; Cashaback, J.G.; Potvin, J.R.; Baker, S.K.; Phillips, S.M. Resistance exercise volume affects myofibrillar protein synthesis and anabolic signalling molecule phosphorylation in young men. *J. Physiol.* 2010, **588**, 3119–3130
- ⁴⁰ Mette Hansen, Jens Bangsbo, Jørgen Jensen, Bo Martin Bibby, and Klavs Madsen. Effect of Whey Protein Hydrolysate on Performance and Recovery of Top-Class Orienteering Runners. DOI: <http://dx.doi.org/10.1123/ijsnem.2014-0083>
- ⁴¹ Stuart M. Phillips. A Brief Review of Critical Processes in Exercise-Induced Muscular Hypertrophy. *Sports Med* (2014) **44** (Suppl 1):S71–S77. DOI 10.1007/s40279-014-0152-3
- ⁴² Philp A, Hamilton DL, Baar K. Signals mediating skeletal muscle remodeling by resistance exercise: PI3-kinase independent activation of mTORC1. *J Appl Physiol*. 2011;110:561–8
- ⁴³ Vinod Kumar, Philip Atherton, Kenneth Smith, Michael J. Rennie. Human muscle protein synthesis and breakdown during and after exercise. *Journal of Applied Physiology* Published 1 June 2009 Vol. 106 no. 6, 2026-2039 DOI:10.1152/japplphysiol.91481.2008
- ⁴⁴ Dickinson JM, Gundersmann DM, Walker DK, Reidy PT, Borack MS, Drummond MJ, Arora M, Volpi E, Rasmussen BB. Leucine-enriched amino acid ingestion after resistance exercise prolongs myofibrillar protein synthesis and amino acid transporter expression in older men. *J Nutr.* 2014 Nov;144(11):1694-702. doi: 10.3945/jn.114.198671. Epub 2014 Sep 3
- ⁴⁵ Biolo G, Maggi SP, Williams BD, Tipton KD, Wolfe RR. Increased rates of muscle protein turnover and amino acid transport after resistance exercise in humans. *Am J Physiol Endocrinol Metab* 268: E514–E520, 1995
- ⁴⁶ Aquilani R, D'Antona G, Baiardi P, Gambino A, Iadarola P, Viglio S, Pasini E, Verri M, Barbieri A, Boschi F. Essential amino acids and exercise tolerance in elderly muscle depleted subjects with chronic diseases: a rehabilitation without rehabilitation? *Biomed Res Int.* 2014;2014:341603. doi: 10.1155/2014/341603. Epub 2014 Jun 9